



**Timber Frame Render Systems Steel Frame Systems** Rainscreen Cladding

**Modular Build Spandrel Panels SIP Panels Pattressing** 









ETA 17/0976







ENVIRONMENTALLY FRIENDLY










# TIMBER FRAME (Rockwool)

STANDARD: **BS 476: PART 22: 1987** | TEST DATE: **19th JUNE 2015** 



INTEGRITY





- 9mm Magply
- 38mm x 140mm Section
- 3 2 x Layers Rockwool
- 15mm Gyroc Fireline

# TIMBER FRAME (PIR)


STANDARD: BS EN 1364 - 1 2015 | TEST DATE: 19th JULY 2016



INTEGRITY



INSULATION



- 9mm Magply
- 2 38mm x 140mm Section
- 3 110mm Polyisocyanurate
- 15mm Knauf Fire Panel


# **SPANDREL PANEL (UN-INSULATED)**

STANDARD: **BS 476: PART 22: 1987** | TEST DATE: **17<sup>th</sup> FEBRUARY 2018** 



INTEGRITY





- 12mm Magply
- 100mm Cover Strip
- 38mm x 89mm Section
- 12mm Magply




## **LOAD BEARING WALL**

STANDARD: **BS EN 1365-1: 2012** | TEST DATE: **13**th **OCTOBER 2016** 



INTEGRITY





- 1 9mm Magply
- 38mm x 90mm Section
- **Knauf Insulation**
- 9mm Magply


### STEEL FRAME PARTITION

STANDARD: BS EN 1364 - 1 2015 | TEST DATE: 31st MARCH 2017



INTEGRITY





- 1 9mm Magply
- 2 70mm x 32mm Section
- 70mm Mineral Wool
- 4 9mm Magply

### **SPANDREL PANEL**


STANDARD: BS476 Part 22:1987 Clause 5 | TEST DATE: 17th AUGUST 2017



INTEGRITY



INSULATION



- ▶ 12mm Magply
- ▶ 38mm x 89mm Section
- ▶ 50mm Cavity
- ▶ 38mm x 89mm Section
- ▶ 12mm Magply




### **LOAD BEARING WALL**

STANDARD: BS EN 1365-1: 2012 | TEST DATE: 13th JULY 2018



INTEGRITY





- 1 12mm Magply
- 2 38mm x 89mm Timber Frame
- 3 90mm Knauf Earthwool
- 4 9mm OSB


## LOAD BEARING WALL (Light Gauge steel frame)

STANDARD: **BS EN 1365 - 1: 2012** | TEST DATE: **26<sup>th</sup> FEBRUARY 2019** 



INTEGRITY






- 1 12mm Magply with 70mm Internal Cover Strip
- 2 100mm LGS Frame
- 3 100mm Rockwool
- 4 12mm Magply

# **EXTERNAL CLADDING**

STANDARD: EN 13501-1:2007 A1: 2009 | TEST DATE: 14th JUNE 2016



OF REACTION TO FIRE PERFORMANCE



In line with the Building Control Alliance Technical note 18; 'use of Combustible Cladding Materials on residential buildings paragraph 12.7 of AD B2' - use materials of limited combustibility throughout the cladding system.



# Introduction

The Magply Euroclass A1 board can be used as a fire mitigation sheathing board for Timber Frame, Steel Frame, Rainscreen Cladding, SIP Panels, Spandrel Panels and Modular Build.

Magply features a magnesium oxysulfate formulation which is manufactured from a production process that ensures a very low chloride content enhancing both stability and durability. Magply carries internationally recognised accreditations confirming the boards' ability to deliver fire integrity, racking strength, impact and pull-out resistance.

Thicknesses Available (mm): 3,6,9,12,18,20 (2400mm x 1200mm sheets)

Thickness (mm)	Width (mm)	Length (mm)	Weight per board (Kg)	Surface m²
6	1200	2400	19	2.88
9	1200	2400	28.5	2.88
		2700	32	3.24
12	1200	2400	38	2.88
18	1200	2400	56	2.88
20	1200	2400	63	2.88





Fire Classification	Class 0 Euroclass EN13501* A1 (Non-Combustible)		
Reaction to Fire	Passed BS EN 1716 Reaction to Fire* Passed		
Appearance	Solid flat sheet board		
Colour & Odour	White, Odourless Change of State None		
Vapour Resistance	Vapour Resistance 0.31 MNs/g (EN ISO 12572*)		
Melting point	Melting point: 2400°C		
Solubility	Solubility: Insoluble in Water		
Acoustic	9mm Rw 28dB 12mm Rw 29dB 20mm Rw 31dB EN ISO 717-1:2013		

# For more information on testing please contact the Magply Technical line: 01621 776 252





#### **TESTED & CERTIFIED BY**









#### **ASSOCIATIONS**





#### **FOR MORE INFORMATION**

www.magply.co.uk 01621 776 252 sales@magply.co.uk